



GARLWAY MACHINERY

Cement Mixer With Lift Catalog

Contact us for more catalogs of [Winch](#), [Concrete Mixer](#), [Concrete Batching Plants](#), etc.

GARLWAY MACHINERY

COMPANY PROFILE

>>> About Us

Henan Garlway Machinery Co., Ltd., established in 2014 and headquartered in Zhengzhou City, Henan Province, is a leading manufacturer specializing in the research, development, production, and sales of mechanical equipment. As our core product, winches are at the heart of our operations, alongside other offerings such as concrete mixers, batching machines, and mixing stations. With over a decade of industry expertise, we pride ourselves on our robust R&D capabilities, enabling us to deliver customized solutions tailored to diverse customer needs. Our three factories, spanning 60,000 square meters, and a dedicated workforce of over 300 employees ensure a monthly production capacity of 2,000 units. Serving markets across Southeast Asia, Central Asia, North Africa, South Africa, Latin America, and Oceania, Garlway Machinery has earned global recognition for its high-quality products and exceptional service. Committed to innovation and excellence, we strive to strengthen our position as a leader in the mechanical equipment industry, promoting Chinese products worldwide.



Auto Concrete Cement Mixer Machine New

Item Number: JW2000



Introduction

Boost construction efficiency with our auto concrete mixer machine. High capacity, durable design, and advanced mixing for consistent quality. Ideal for large-scale projects.

[Learn More](#)

| Parameter | Specification |
|-------------------|--|
| Capacity | 2000L |
| Spindle speed | 45r/min |
| Matching power | 22kW |
| Overall dimension | 2800mm × 2800mm × 2000mm |
| Overall weight | 1200kg |
| Mixing drum size | Diameter: 2 meters, Height: 70 centimeters |

Jzc500 Large Cement Mixer Machine Price For Concrete Mix

Item Number: JZC500



Introduction

Explore the JZC500 large cement mixer for efficient, portable, and durable concrete mixing on construction sites. Boost productivity now!

[Learn More](#)

| Parameter | Value |
|------------------------|-------------------|
| Model | JZC500 |
| Discharge volume | 500L |
| Charging volume | 800L |
| Capacity | 18~20 m³/h |
| Aggregate sizes | ≤60mm |
| Rotating speed | 13 r/min |
| Max. drag speed | 20km/h |
| Mixing motor | 7.5kw |
| Lifting motor | 5.5KW |
| Pump motor | 0.55kw |
| Weight | 2400kg |
| Dimensions (L x W x H) | 3500x2200x3200 mm |

Jzc1000 Industrial Concrete Mixer Machine Cement Mixer Price

Item Number: JZC1000



Introduction

Discover the high-performance concrete mixer for construction sites, road projects, and factories. Features 1600L feeding, 1000L discharge, and precise mixing. Enhance efficiency today!

[Learn More](#)

| Parameter | Value / Description |
|-----------------------|---|
| Feeding Capacity | 1600L |
| Discharge Capacity | 1000L |
| Productivity | 25 - 30m³/h |
| Mixing Drum Speed | 13r/min |
| Maximum Particle Size | 100mm |
| Water Supply Error | ≤2% |
| Discharge Height | 2500mm |
| Application Fields | General construction site, Road and bridge project, Concrete component factory |
| Selling Points | Sturdy and durable structure, Good mixing quality, Easy operation, Convenient to move |

Concrete Cement Mixer Machine Drum Mixer For Construction

Item Number: JZC750



Introduction

Discover the high-efficiency cement mixer for construction, manufacturing, and more. Global availability, certified quality, and 1-year warranty.

[Learn More](#)

| Parameter | Specification |
|-----------------------|---|
| Operating Efficiency | 18-22m3/h |
| Industry Applications | Construction, building material shops, manufacturing, hotels, machinery repair shops, restaurants, farms, retail, energy & mining, home use |
| Certifications | BV, ISO |
| Warranty | 1-year warranty on core components (motor, pump, engine) |
| Features | Water pump for water supply, reverse rotation discharge, 2-minute working cycle |
| Global Availability | Showrooms in Egypt, Canada, United States; after-sales service by engineers |

Hydraulic Concrete Mixer Machine Cement Mixing Equipment For Mixture Concrete

Item Number: JW1500



Introduction

Explore our durable mixture concrete machine for construction, highways, and dams. Strong power, 360° discharge, and easy mobility. Perfect for large-scale projects.

[Learn More](#)

| Parameter | Specification |
|-------------------|---|
| Capacity | 1.5 cubic meters |
| Machine Size | Diameter 1.8 meters, barrel height 60 centimeters |
| Motor Power | 15 kW national standard pure copper wire motor |
| Discharge Opening | 360 degree rotatable |

Hzs25 Best Cement Mixer For Quick Mix Concrete At Bunnings

Item Number: HZS25



Introduction

Discover the best cement mixer for small to medium construction projects. High productivity, precise batching, compact design. Ideal for versatile applications.

[Learn More](#)

| Parameter | Specification |
|-------------------------------|---|
| Theoretical Productivity | 25 cubic meters/hour (Actual output around 20 cubic meters/hour) |
| Mixing Machine | JS500 double horizontal shaft forced concrete mixer |
| Mixing Power | 50.25KW |
| Working Cycle Time | 72S |
| Discharge Capacity | 0.5 cubic meters |
| Feed Capacity | 0.75 cubic meters |
| Batching Machine | PLD800 or PLD1200 three-bin batching machine |
| Aggregate Bin Capacity | 3.5 cubic meters |
| Aggregate Batching Capacity | 800L or 1200L |
| Aggregate Particle Size | Maximum particle size 50mm |
| Measuring Range and Precision | Sand, stone: $\pm 2\%$; Cement, fly ash, water, additives: $\pm 1\%$ |
| Feeding Mode | Hopper lifting type |
| Discharge Height | 1.5-3.8m |
| Power of the Whole Machine | About 50.25KW and above |
| Overall Dimension | 11693mm \times 13060mm \times 17245mm |
| Weight of the Whole Machine | 17500kg |

| Application Fields | Description |
|--------------------------------------|--|
| Small Construction Projects | Rural self-built houses, small office buildings, residential buildings |
| Small Infrastructure Construction | Rural roads, small bridges, aqueducts |
| Prefabricated Components Production | Small prefabricated panels, roadside stones, small cement pipes |
| Temporary Works or Maintenance Works | Temporary construction sites, building maintenance and remodeling |

| Selling Point | Description |
|---|--|
| Simple Structure, Convenient Installation | Combined structure and unit modularization, easy to install and relocate |
| Good Mixing Quality | JS500 double horizontal shaft forced mixer, mixes high-quality concrete |

| Parameter | Specification |
|----------------------|---|
| Application Fields | Description |
| Selling Point | Description |
| Precise Measurement | Electronic scales for aggregate, cement, water, additives, high precision |
| Easy to Operate | Manual/automatic electrical control system, easy to operate |
| Small Footprint | Compact design, suitable for limited space projects |
| Low Maintenance Cost | Simple structure, easy maintenance, reduces downtime and repair costs |

Jdc350 Small Cement Concrete Mortar Mixer

Item Number: JDC350



Introduction

Discover the JDC350 small cement mixer for efficient, uniform concrete mixing in construction, roads, and water projects. Boost productivity and quality today.

[Learn More](#)

| Parameter | Details |
|--------------------------------|---|
| Model | JDC350 |
| Series | JDC Series |
| Type | Single Horizontal Shaft Compulsory Concrete Mixer |
| Application Fields | Construction, Road and Bridge Project, Water Conservancy Project, Precast Concrete Component Plant |
| Construction Applications | Industrial and civil construction (residential, office, commercial buildings), foundation, column, beam, plate structures |
| Road and Bridge Applications | Highway, city road, bridge construction, road paving, bridge pier, beam concrete |
| Water Conservancy Applications | Reservoirs, dams, canals, hydraulic buildings, dam pouring, canal lining |
| Precast Concrete Applications | Precast slabs, beams, columns, concrete pipes |
| Selling Points | Superior mixing performance, wide range of application, higher production efficiency, easy operation and maintenance, stable and reliable operation |
| Mixing Performance | Forced mixing principle, uniform concrete mix, good mixing quality, ensures strength and working performance |
| Application Range | Fluid, plastic, dry hard concrete, mortar, lightweight aggregate concrete |
| Production Efficiency | High mixing and discharging speed, improves construction progress |
| Operation and Maintenance | Easy operation, easy-to-replace liners and blades, reduces maintenance cost and difficulty |
| Reliability | High-quality materials, advanced manufacturing technology, sturdy structure, stable operation, reduced failure probability |

Portable Cement Mixer With Lift Concrete Machine

Item Number: JW6000

Introduction

Portable cement mixer with lift: 6m³ capacity, 37kW motor, durable design. Ideal for highways, dams, and construction sites.

[Learn More](#)



| Parameter | Specification |
|----------------------------|--|
| Capacity | 6 cubic meters |
| Motor power | 37kW pure copper motor |
| Diesel engine power | 4105 four-cylinder high-power diesel engine |
| Deceleration configuration | 485 automobile rear axle primary deceleration, horizontal 500 reducer secondary deceleration |
| Overall dimensions | Mixing barrel diameter of 2.8 meters, barrel height of one meter |
| Discharge port | Three hydraulic discharging ports, two fixed discharging tanks, a 180° rotating discharging tank |

Portable Concrete Mixer Machine Equipment For Mixing Concrete

Item Number: JW500



Introduction

Portable concrete mixer machines: Efficient 500L capacity, 35rpm spindle speed, 7.5KW power. Ideal for construction, prefabricated factories, and hydropower projects. Compact, reliable, and user-friendly.

[Learn More](#)

| Parameter | Details |
|---------------------------|--|
| Mixing volume | 500L |
| Spindle speed | 35rpm |
| Matching power | 7.5KW |
| Overall dimensions | Diameter 1500mm × Height 1400mm |
| Application | Suitable for general highway, power station, dam construction, building site, road, bridge, hydropower, and large and medium-sized prefabricated factories. Can mix plastic, dry hard, and fluid concrete. |
| Other projects | Mixing lightweight aggregate and mortar. Commonly used in mixing dry, plastic, fluid, lightweight aggregate concrete, and various mortar and grout. |
| Selling point | Superior performance: smooth operation, low energy consumption, compact structure, reliable transmission, high production efficiency, and even mixing. |
| Simple operation | Mixing cylinder driven by gear ring. Turns positively to mix and reverse to discharge. Quick and clean discharge, easy to operate, firm and reliable equipment with a long service life. |
| Wide range of application | Can mix many types of concrete and mortar, applicable to different scales of projects, from micro-projects to small projects. Mobile and flexible, convenient for transferring between different sites. |

Hzs75 Concrete Batching Plant Cement Mixer Price Concrete Mixer Bunnings Mixing Plant

Item Number: HZS75



Introduction

Optimize your construction projects with the HZS75 concrete batching plant—high efficiency, precise mixing, and automated control for superior results.

[Learn More](#)

| Parameter | Specification |
|---------------------------------|---|
| Theoretical Productivity | 75 cubic meters/hour |
| Mixing Host | Model JS1500 forced double horizontal shaft mixer, mixing power 30×2kW, discharge volume 1.5 cubic meters, feed capacity 2.4 cubic meters |
| Batching Machine | PLD2400 type, 4 silos, aggregate silo capacity large, max weighing value 2400L, aggregate particle size ≤80mm |
| Measuring Accuracy | Sand and gravel: ±2%, Cement, fly ash, water, additives: ±1% |
| Discharge Height | 3.8 meters |
| Overall Dimensions | 24350mm x 10595mm x 18704mm |
| Total Installed Capacity | 120kW |
| Work Cycle Time | 60 seconds |
| Application Fields | Description |
| Construction Projects | High-rise buildings, large commercial buildings |
| Road and Bridge Projects | Highways, city bridges |
| Water Conservancy Projects | Reservoirs, dams, canals |
| Commercial Concrete Production | Main equipment for commercial concrete production plants |
| Selling Points | Description |
| High Production Efficiency | Theoretical production rate: 75 cubic meters/hour |
| Good Mixing Quality | JS1500 mixer ensures even mixing and high efficiency |
| Precise Measurement | High-precision measurement system ensures stable concrete quality |
| High Degree of Automation | Centralized control system with screen display, proportion storage, automatic compensation |
| Small Footprint | Saves land resources compared to large-scale mixing stations |
| Energy-Saving and Environmental | Pulse electric dust removal, low noise, green construction compliance |

Hzs180 Ready Mix Concrete Plant For Foundations With Sand And Cement

Item Number: HZS180



Introduction

Optimize your construction projects with our ready mix concrete plant. High efficiency, precise measurement, and advanced automation ensure top-quality concrete for large-scale builds. Explore now!

[Learn More](#)

| Parameter | Value |
|---|---------------------------------------|
| Theoretical Productivity | 180 cubic meters per hour |
| Mixing Host | JS3000 type or MAO4500/3000SDSHO type |
| Mixing Host Power | 110kW or 2×55kW |
| Discharging Volume | 3 cubic meters |
| Batching Machine | PLD4800 type |
| Batching Capacity | 4800L |
| Number of Compartments | 4 to 6 |
| Weighing Precision (Aggregate, Cement, Fly Ash, Water, Additives) | In accordance with national standards |
| Weighing Range (Cement) | 0-1500kg (±1% precision) |
| Weighing Range (Additives) | 0-50kg (±1% precision) |
| Discharge Height | 4 meters |
| Total Power | About 200 kilowatts |

| Application Field | Description |
|---|--|
| Large-scale Construction Projects | Ultra-high-rise buildings, large-scale commercial complexes, large residential communities, etc. |
| Road and Bridge Projects | Highways, railroads, urban viaducts, large-scale cross-sea and cross-river bridges |
| Water Conservancy and Hydropower Projects | Reservoir dams, hydropower stations, large-scale water canals, etc. |
| Commercial Concrete Production | Core equipment for commercial concrete production plants, supplying different grades and types of concrete |

| Selling Point | Description |
|----------------------------|--|
| High Production Efficiency | Theoretical productivity of 180 cubic meters per hour, significantly shortening the construction cycle |
| Good Mixing Quality | Mixing mainframe can be JS3000 type, with high-strength wear-resistant materials for blades and liners |
| Precise Measurement | High-precision electronic weighing system ensures stability of concrete quality |
| High Degree of Automation | Advanced PLC control system or computerized real-time monitoring control system |

| Parameter | Value |
|---|---|
| Application Field | Description |
| Selling Point | Description |
| Good Environmental Protection Performance | Equipped with pulse dust collector and other environmental protection equipment, reducing dust emission and noise |
| Low Maintenance Cost | Modularized design, easy to disassemble, repair, and replace |

Portable Electric Concrete Mixer Machine For Cement Mixing

Item Number: JZC350



Introduction

Explore the JZC350 electric cement mixer for efficient, reliable concrete mixing. Ideal for construction, roads, bridges, and more. Portable, customizable, and energy-efficient.

[Learn More](#)

| Parameter | Specification |
|--------------------|---|
| Model | JZC350 |
| Type | Drum Mixer |
| Rotation Mechanism | Gear Ring |
| Rotation Modes | Forward (Mixing), Reverse (Discharge) |
| Mixing Capability | Plastic and Semi-Dry Hard Concrete |
| Feeding Types | Tipping Bucket, Climbing Bucket |
| Power Options | Electric, Diesel |
| Mobility | Equipped with Movable Tires and Traction |
| Applications | Construction Sites, Roads, Bridges, Water and Electricity, Small and Medium-Sized Concrete Component Factories |
| Advantages | Reliable Transmission, Low Noise, Low Energy Consumption, Compact Structure, Smooth Operation, Convenient Operation, Good Mixing Quality, High Productivity |

Construction Products Concrete Plant Machine Mixing Concrete Mixer

Item Number: JW750



Introduction

High-performance concrete plant machine and mixer for versatile construction needs. Efficient, durable, and easy to operate. Enhance your project productivity today!

[Learn More](#)

| Parameter | Value |
|--------------------|----------------------|
| Discharge capacity | 750L |
| Feeding capacity | 1200L |
| Productivity | 30 - 35m³/h |
| Aggregate size | 80mm |
| Mixing motor | 2×7.5kw |
| Lifting motor | 7.5kw |
| Water pump motor | 1.1kw |
| Speed | 20r/min |
| Overall dimension | 2650mm×1315mm×2180mm |
| Overall weight | 1.2 tons |

Hzs120 Ready Mix Concrete Batching Plant Commercial Mud Cement Mixer

Item Number: HZS120



Introduction

HZS120 concrete batching plant: High productivity, precise mixing, automation, and eco-friendly design for large-scale construction projects.

[Learn More](#)

| Parameter | Specification |
|--|--------------------------|
| Theoretical Productivity | 120 cubic meters/hour |
| Mixing Host | JS2000 type |
| Mixing Motor Power | 2 × 37kW |
| Mixer Nominal Capacity | 3200 liters |
| Discharge Capacity | 2 cubic meters |
| Batching Machine | PLD3200 type |
| Batching Capacity | 3200 liters |
| Number of Bins | 2 to 4 |
| Single Bin Volume | 20 cubic meters or more |
| Aggregate Particle Size | ≤120mm |
| Measuring Accuracy (Cement, Fly Ash, Water, Admixture) | ≤±1% |
| Measuring Accuracy (Aggregate) | ≤±2% |
| Powder Bin Capacity | 2×200 tons |
| Discharge Height | 3.8 meters or 4.2 meters |
| Total Installed Power | 145-209.5 kW |
| Standard Reference Total Weight | 90 × 10 ³ kg |

| Application Fields | Description |
|---|--|
| Large-scale Construction Projects | Ultra-high-rise buildings, large commercial complexes, large residential communities, etc. |
| Road and Bridge Projects | Highways, railroads, urban viaducts, large bridges, etc. |
| Water Conservancy and Hydropower Projects | Reservoir dams, hydropower stations, large-scale aqueducts, etc. |
| Commercial Concrete Production | Core equipment of commercial concrete production plant, supplying different grades and types of concrete |

| Selling Points | Description |
|----------------------------|---|
| High Production Efficiency | Theoretical productivity of 120 cubic meters per hour |

| Parameter | Specification |
|---|---|
| Application Fields | Description |
| Selling Points | Description |
| Good Mixing Quality | Double horizontal shaft forced mixer, high-strength wear-resistant materials |
| Precise Measurement | High-precision electronic weighing system, ensuring stability of concrete quality |
| High Degree of Automation | Advanced PLC control system or computerized real-time monitoring and control system |
| Good Environmental Protection Performance | Equipped with pulse dust collector, effective treatment of dust |
| Low Maintenance Cost | Modularized design, simple connection between parts, easy to disassemble, repair, and replace |

Jw1000 Mobile Cement Mixer Concrete Mixer Truck And Batching Plant

Item Number: JW1000



Introduction

Enhance construction efficiency with our mobile cement mixer, ideal for building, road, and hydropower projects. Superior mixing, easy operation, and versatile applications.

[Learn More](#)

| Parameter | Value |
|-------------------|--|
| Capacity | Hopper capacity 1000L, feeding capacity 1200-1400L |
| Spindle speed | 45r/min |
| Matching power | 15kw |
| Overall dimension | Φ1600×2000mm or Φ1800×1600mm |
| Overall weight | 650kg |

| Application Fields | Description |
|-----------------------------|--|
| Building construction | Suitable for industrial and civil building construction units, used for mixing concrete for all kinds of buildings (e.g., residential, office, commercial) |
| Prefabricated parts factory | Produces concrete prefabricated parts (e.g., panels, beams, columns) |
| Road and bridge project | Used for mixing concrete in highway, road, and bridge construction |
| Hydropower project | Used in power station damming and hydropower projects with high concrete demand |
| Other fields | Used in brick factories for concrete mixing, small-scale projects, and construction sites |

| Product Selling Points | Description |
|--------------------------------------|---|
| Superior performance | Forced mixing mode ensures even mixing, suitable for plastic, dry-hard, flowable concrete, light aggregate, and mortar |
| Reasonable structural design | Compact structure, stable and reliable operation, durable design |
| Convenient operation and maintenance | Easy to operate, fast discharging, simple maintenance, and cost-effective parts replacement |
| Diversified functions | Can be combined with batching machine and feeding/weighing device for small and medium-sized mixing plants |
| Wide range of application | Adapts to various construction environments and material types (e.g., concrete, mortar) |
| Thoughtful detail design | Thickened flare prevents material splashing, internal ring water for even mixing, optional traction frame and walking wheels for mobility |

Commercial Construction Mixer Machine For Soil Cement Mixing Concrete

Item Number: JW3000



Introduction

Discover the versatile construction mixer machine, ideal for highways, dams, and building sites. Efficient, durable, and easy to operate.

[Learn More](#)

| Parameter | Specification |
|---------------------|---|
| Capacity | 3 cubic meters |
| Motor power | 18.5kW |
| Diesel engine power | 35 hp |
| Spindle speed | 30 rpm |
| Overall dimensions | 2200mm x 2200mm x 1600mm |
| Overall weight | 850kg |
| Discharge port | Hydraulic discharge port, some with centralized discharge chute |

Jzc400 Mobile Small Concrete Mixer Cement Mixer Machine

Item Number: JZC400



Introduction

Discover the JZC400 concrete mixer, ideal for small to medium projects. Durable, efficient, and versatile. Perfect for construction sites. Explore now!

[Learn More](#)

| Model | Drum Type | Gear Ring Material | Motor Type | Suitable For |
|---------|-----------|----------------------|--------------------|-----------------------------------|
| JZC300 | Normal | 45# Steel Cast Steel | Copper-wired Motor | Dams, Infrastructure Construction |
| JZC350 | Normal | 45# Steel Cast Steel | Copper-wired Motor | Dams, Infrastructure Construction |
| JZC400 | Normal | 45# Steel Cast Steel | Copper-wired Motor | Various Project Conditions |
| JZC500 | Normal | 45# Steel Cast Steel | Copper-wired Motor | Dams, Infrastructure Construction |
| JZC750 | Normal | 45# Steel Cast Steel | Copper-wired Motor | Dams, Infrastructure Construction |
| JZC1000 | Normal | 45# Steel Cast Steel | Copper-wired Motor | Dams, Infrastructure Construction |
| JZC1500 | Normal | 45# Steel Cast Steel | Copper-wired Motor | Dams, Infrastructure Construction |

Portable Electric Small Cement Mixer Concrete Machine

Item Number: JZC300



Introduction

Portable cement mixer for construction, roads, and DIY. High performance, easy operation, and durable design.

[Learn More](#)

| Parameter | Specification |
|------------------------|---|
| Capacity | Feeding: 480L, Discharging: 300L |
| Productivity | 9-12 m³/h |
| Motor Power | Mixing: 4KW, Lifting: 4KW, Pump: 0.55KW |
| Stirring Drum Speed | 17 r/min |
| Maximum Aggregate Size | 60 mm |
| Overall Dimension | 2376 × 1990 × 2750 mm |
| Overall Weight | 1650 kg |

| Application Field | Description |
|----------------------------|--|
| General Construction | Concrete mixing for civil and commercial buildings, rural self-built houses, small apartment buildings |
| Road and Bridge Project | Concrete mixing for road laying, bridge construction, road base, bridge piers |
| Concrete Component Factory | Production of small concrete components like blocks and precast panels |

| Product Selling Points | Description |
|------------------------|---|
| Performance | Self-falling double-cone reversing discharging, homogeneous concrete in 35-45 seconds |
| Structure | Tires and towing frame for easy transfer, adjustable height legs for stability |
| Operation | Water supply system with motor, pump, regulating valve, and time relay control |
| Quality | Designed and manufactured according to GB/T9142-2000 standard, efficient, high-quality, lightweight |

Hzs35 Small Cement Concrete Mixing Batch Plant

Item Number: HZS35



Introduction

Optimize your construction projects with our efficient small concrete batch plant. High-quality mixing, precise measurement, and durable design ensure reliable concrete production for diverse applications. Explore now!

[Learn More](#)

| Parameter | Specification |
|-----------------------------|---|
| Theoretical Productivity | 35 cubic meters/hour (Actual: 25-35 cubic meters/hour) |
| Mixing Machine | Model JS750 double horizontal shaft forced concrete mixer |
| Mixing Machine Power | 30KW |
| Feeding Capacity | 1200L |
| Discharging Capacity | 0.75 cubic meters |
| Working Cycle Time | 75S |
| Batching Machine | PLD1200 three-bin batching machine |
| Aggregate Bin Capacity | 36 cubic meters |
| Aggregate Batching Capacity | 1200L |
| Aggregate Types | 3 kinds of aggregate |
| Aggregate Size | Crushed stone: 60mm, Pebble: 80mm |
| Cement Weighing Range | 0-250kg (Precision: 1kg) |
| Water Weighing Range | 0-200kg (Precision: 1kg) |
| Feeding Height | 2.82m |
| Discharge Height | 3.8m (Pneumatic discharge) |
| Power of the Whole Machine | ≥74.9KW |
| Overall Dimension | 4951mm × 3650mm × 6225mm |

| Application Field | Description |
|--|---|
| Small and Medium-sized Construction Projects | Concrete supply for general construction such as residential buildings and office buildings |
| Road and Bridge Projects | Concrete preparation for road paving and bridge construction |
| Water Conservancy Project | Small dams, canals, and other water conservancy facilities construction |
| Prefabricated Components Factory | Producing various concrete prefabricated components, such as cement pipes, prefabricated panels |

| Selling Point | Description |
|------------------------|--|
| High-Efficiency Mixing | JS750 double horizontal shaft forced mixer ensures good mixing quality and high efficiency |

| Parameter | Specification |
|--|--|
| Application Field | Description |
| Selling Point | Description |
| Precise Measurement | Electronic scales for aggregate, cement, water, and admixture ensure high batching precision |
| Strong Durability | Special design with high hardness wear-resistant chrome liner, wear-resistant parts lifespan up to 50,000 cans or more |
| Intelligent Control | Computer centralized control, printer for production reports, full-range detection system |
| Convenient Installation | Combined structure and unit modularization reduce installation cost and time |
| Energy Saving and Environmental Protection | Pulse-type electric dust removal, low noise, fully enclosed production environment |

Hzs90 Large Multiquip Concrete Mixers For Construction

Item Number: HZS90



Introduction

Discover the HZS90 concrete mixer, ideal for large-scale construction, road, and hydropower projects. High efficiency, precise mixing, and easy installation. Learn more now!

[Learn More](#)

| Parameter | Value |
|--------------------------------|--|
| Theoretical productivity | 90 cubic meters/hour |
| Mixing machine | Model JS1500 forced double horizontal shaft mixer, mixing power 2×30kW, discharge volume 1500L, cycle time 60S |
| Batching machine | PLD2400 type, batching capacity 2400L, number of compartments 4 |
| Aggregate particle size | Maximum particle size 80mm |
| Measuring accuracy - Cement | Weighing range (0-900)±1%kg |
| Measuring accuracy - Admixture | Weighing range (0-50)±1%kg |
| Measuring accuracy - Aggregate | Weighing range 0-5000±2%kg |
| Powder bin capacity | 3×100t |
| Discharge height | 3.8 meters or 4.2 meters |
| Installed capacity | 164kW |
| Overall dimensions | Approximately 24 meters (length) x 10 meters (width) x 18 meters (height) |
| Weight of the whole machine | Approximately 65000kg |

| Application Fields | Description |
|---|--|
| Construction project | Suitable for large-scale construction projects such as high-rise residence, commercial complex, etc., meeting continuous concrete supply |
| Road and bridge projects | Used in the construction of highways, urban viaducts, etc., providing a large amount of high-quality concrete |
| Water conservancy and hydropower projects | Used in the construction of reservoir dams, hydropower stations, etc., ensuring stable supply and quality of concrete |
| Commercial concrete production | Main equipment of commercial concrete production plant, supplying different grades of concrete for several construction sites |

| Selling Points | Description |
|---|--|
| High production efficiency | Theoretical production rate of 90 cubic meters per hour, meeting concrete demand quickly and speeding up construction progress |
| Good mixing quality | JS1500 forced double horizontal shaft mixer ensures even mixing and high efficiency for various concrete ratios |
| Precise measurement | High-precision measurement system ensures precise control of raw materials and stability of concrete quality |
| High degree of automation | Centralized control system with screen display, proportion storage, automatic compensation of fall, and friendly operation interface |
| Good environmental protection performance | Pulse electric dust removal, low noise hydraulic oil pump control, and compliance with green construction requirements |

| Parameter | Value |
|-------------------------|---|
| Application Fields | Description |
| Selling Points | Description |
| Convenient installation | Modular design for easy disassembly, transport, assembly, and quick installation and relocation |

Commercial Electric Concrete Mixer Machine Hzs 50 Small Batch Plant For Sale

Item Number: HZS50



Introduction

Discover high-quality concrete mixer machines and batch plants for construction, road, and precast projects. Efficient, precise, and user-friendly.

[Learn More](#)

| Parameter | Value |
|-----------------------------------|---|
| Theoretical Productivity | 50 cubic meters/hour (Actual output: 30-35 cubic meters/hour) |
| Mixing Machine | J51000 double horizontal shaft forced concrete mixer |
| Mixing Machine Power | 2 × 18.5KW |
| Mixing Machine Discharge Capacity | 1000L |
| Mixing Machine Feeding Capacity | 1500L |
| Mixing Machine Work Cycle Time | 72S |
| Batching Machine | PLD1600 batching machine |
| Aggregate Bin Capacity | 3.5 cubic meters × 3 bins |
| Aggregate Batching Capacity | 1600L |
| Aggregate Types | 3 kinds of aggregate |
| Aggregate Particle Size | Maximum particle size: 80mm |
| Cement Weighing Range | 0-600kg, precision ±1% |
| Water Weighing Range | 0-300kg, precision ±1% |
| Feeding Height | 2.58m |
| Discharging Height | 2.7m or 3.8m |
| Power of the Whole Machine | 85.0KW |
| Overall Dimensions (2.7m) | 10867mm × 4070mm × 6560mm |
| Overall Dimensions (3.8m) | 17012mm × 4070mm × 8400mm |
| Overall Weight (2.7m) | 14870kg |
| Overall Weight (3.8m) | 17570kg |

| Application Field | Description |
|--|--|
| Construction Project | Suitable for supplying concrete to general scale residential buildings, office buildings, etc. |
| Road and Bridge Project | Used in the construction of city roads, country roads, and small bridges |
| Water Conservancy and Hydropower Engineering | Concrete preparation for small reservoirs, canals, etc. |

| Parameter | Value |
|-------------------|-------------|
| Application Field | Description |
| Selling Point | Description |

| | |
|--------------------|--|
| Precast Production | Production of precast concrete components like panels, curbstones, pipes, etc. |
|--------------------|--|

| Selling Point | Description |
|----------------------------|---|
| High Production Efficiency | Theoretical production rate of 50 cubic meters/hour |
| Good Mixing Quality | JS1000 mixer ensures good mixing for dry, hard, plastic, and all concrete types |
| Accurate Measurement | Electronic scale with microcomputer control ensures precise material addition |
| Simple Operation | Computer control allows automatic or manual operation, easy to use |
| Small Footprint | Compact structure suitable for limited space projects |
| Low Maintenance Cost | Modular design for easy disassembly, transport, assembly, and maintenance |

Portable Ready Mix Concrete Mixer Equipment

Item Number: JW400



Introduction

Portable concrete mixers: 400L capacity, 5.5KW power, 19 rpm speed. Ideal for construction, road, and hydropower projects. Compact, durable, and versatile.

[Learn More](#)

| Parameter | Details |
|--------------------|--|
| Mixing volume | 400L |
| Spindle speed | 19 rpm |
| Matching power | 5.5KW |
| Overall dimensions | Diameter 1200mm x Height 1200mm |
| Machine weight | About 1.2 tons (different manufacturers may vary slightly) |

| Application | Details |
|----------------------|--|
| Construction project | Suitable for general highway, power station, dam construction, building site, road, bridge, hydropower, and large/medium prefabricated plants. Can mix plastic, dry-hard, and flowable concrete. |
| Other projects | Can mix lightweight aggregate, mortar, dry-hard, plastic, flowable concrete, and various types of mortar and grout. |

| Selling Point | Details |
|---------------------------|--|
| Superior performance | Smooth operation, low energy consumption, compact structure, reliable transmission, high production efficiency, and good mixing quality. |
| Convenient operation | Fast discharging speed, simple operation, firm and reliable equipment, long service life. Some models feature an intelligent control system for automatic operation. |
| Wide range of application | Can mix many types of concrete and mortar, suitable for micro to small projects. Strong mobility and flexibility, convenient for transferring between sites. |

Ready Mixer Machine For Construction Ready Mix Machinery

Item Number: JW5000



Introduction

Discover high-capacity ready mixers for construction projects. Efficient, durable, and versatile with anti-splash design.

[Learn More](#)

| Parameter | Details |
|----------------------------|---|
| Capacity | 5 cubic meters (discharging capacity) |
| Motor Power | 30kW |
| Deceleration Configuration | 485 automobile rear axle primary deceleration, horizontal 500 reducer secondary deceleration |
| Overall Dimensions | Diameter: ~2.6 meters, Flare: ~3.2 meters |
| Application | General highway, power station, dam construction, building site, road, bridge, hydropower, large and medium-sized prefabricated plant. Can mix plastic, dry hard, flowable concrete, light aggregate, and mortar. |
| Selling Points | |
| - Strong Power | 30kW high-power pure copper motor with dual deceleration system for sufficient power output |
| - Sturdy and Durable | Internal wear-resistant liner, thickened bottom plate, 30-thick four mixing arms |
| - Anti-splash Design | Higher flare for effective material splash prevention |
| - Easy Operation | Positive rotation mixing, reverse discharge, some models with remote control and timing water |
| - Stable Performance | Smooth operation, low energy consumption, compact structure, reliable transmission, stable in complex environments |

Shaft Mixer Machine For Cement And Regular Concrete Mixing

Item Number: JW4000



Introduction

Discover the shaft mixer, essential for highway, dam, and building projects. High efficiency, durable, and versatile for all concrete types. Explore now!

[Learn More](#)

| Parameter | Details |
|-------------------|---|
| Capacity | Feeding capacity: 5.3 square meters, Discharging capacity: 4 square meters |
| Motor Power | 37kW mixing motor |
| Overall Dimension | Diameter: 2.6 meters, With flare: 3.2 meters |
| Application | General highway, power station, dam construction, building site, road, bridge, hydropower, large and medium-sized prefabricated plant |
| Mixing Types | Plastic, dry hard, flowable concrete, light aggregate, mortar |
| Selling Points | High mixing efficiency, Good mixing effect, Sturdy and durable, Easy to operate, Flexible movement, Stable performance |

Mini Cement Mortar Mixer Truck For Construction

Item Number: GJW 350



Introduction

Explore versatile mortar mixers, mini cement mixers, and mixer trucks for efficient construction material blending. Ideal for large and small projects.

[Learn More](#)

| Parameter | Value |
|-------------------|--------------|
| Capacity | 350L |
| Spindle speed | 21r/min |
| Matching power | 5.5kW |
| Overall dimension | Φ1200×1400mm |
| Overall weight | 350kg |

Js1000 Volumetric Concrete Mortar Mixer For Sale Skid Steer Cement Mixer

Item Number: JS1000



Introduction

Discover the JS1000 volumetric concrete mixer, ideal for building, road, and hydropower projects. High efficiency, reliable performance, and easy maintenance ensure consistent, quality concrete.

[Learn More](#)

| Parameter | Details |
|---------------------------|--|
| Model | JS1000 |
| Applications | General building construction, Road and bridge construction, Water conservancy and hydropower projects, Prefabricated components production |
| Mixing Efficiency | High, Double horizontal shaft forced mixing principle, Theoretical material output per hour can reach a high level |
| Mixing Quality | Good, Optimized angle and shape of mixing blades, Complex convection and shear movement in the cylinder, Well homogenized concrete with less discrete strength |
| Reliability | Strong, High-quality brand components for motor and reducer, Carefully designed and optimized transmission system, Stable operation for long durations, Reduced breakdown and downtime |
| Operation and Maintenance | Convenient, Humanized operation panel, Simple and easy to understand operation, Easy start, Designed for easy inspection, repair, and maintenance, Large overhaul space for components |
| Application Range | Wide, Adjustable parameters for mixing time, rotating speed, and material proportion, Suitable for different types of concrete such as ordinary, high-strength, and fiber concrete |

Jdy350 Electric Hydraulic Mortar Mud Concrete Mixer

Item Number: JDY350



Introduction

Discover the electric mortar mixer for construction, road, and water projects. High efficiency, safe operation, versatile mixing. Explore now!

[Learn More](#)

| Category | Details |
|---|--|
| Applications | |
| Construction Project | Used for various building constructions in urban and rural areas, including residential, office, and commercial buildings. |
| Road and Bridge Construction | Suitable for road paving and bridge construction, ensuring quality in road base, bridge piers, and beams. |
| Water Conservancy and Hydropower Projects | Mixes materials for small reservoirs, canals, dams, and other hydraulic concrete requirements. |
| Small Precast Component Production | Produces small precast concrete components like floor tiles, roadside stones, and cable trench covers. |
| Selling Points | |
| Excellent Performance | Single horizontal shaft forced mixing mode, high efficiency, hourly productivity up to 18-21 cubic meters. |
| Convenient Discharging | Double-acting hydraulic cylinder for fast and clean discharging, easy to operate with reversing valve control. |
| Safe and Stable | Lifting motor for stable and safe feeding, cylindrical gear-driven mixing system for reliable operation. |
| Strong Adaptability | Can mix plastic, dry hard, fluid concrete, light aggregate, and mortar of various proportions. |
| Simple Maintenance | Fixed tank and frame design prolongs mixing shaft life, easy to maintain, saves time and labor. |
| Flexible Combination | Can be used as a stand-alone machine or combined with a batching plant to form a simple concrete mixing plant. |

Js500 Electric Cement Concrete Mixer For Sale

Item Number: JS500



Introduction

Electric cement mixer for construction: high-efficiency, durable, and versatile. Achieve uniform mixing with advanced twin-shaft technology. Certified quality.

[Learn More](#)

| Parameter | Details |
|----------------------------|--|
| Mixer Type | Twin shaft horizontal forced type |
| Mixing Capability | Dry hard concrete, plastic concrete, flowing concrete, light weight aggregate concrete, various mortar |
| Application | High-efficiency machine with wide application |
| Compatibility | Can work solely or form simple concrete mixing plant with PLD series batching machine, mixer for HZS25 concrete batching plant |
| Mixing Evenness | High |
| Mixing Time | Short |
| Reliability | High with least break down |
| Life Span of Wearing Parts | Long |
| Operation and Maintenance | Easy |
| Discharge Type | Hydraulic discharge, Manual discharging for options |
| Discharge Door Angle | Adjustable |
| Plates and Blades Material | High wear-resistant chromium-manganese alloys |
| Shaft End Sealing System | Multi-sealing structure, effectively prevents leakage |
| Motor and Speed Reducer | China famous brand, Full copper motors, Stable and long life |
| Steel Standard | National Standard Steel from China famous steel & iron companies |
| Discharge Height | 1.5m, 3.8m optional |
| Performance | Excellent with 11 tech patents |
| Certification | China Well-known Trademark, ISO SGS |

Harbor Freight Js1500 On Site Concrete Mixing Volumetric Cement Mixer

Item Number: JS1500



Introduction

Discover the JS1500 harbor freight cement mixer for large-scale construction and hydraulic projects. High-capacity, efficient, and eco-friendly.

[Learn More](#)

| Parameter | Specification |
|------------------------|--|
| Model | JS1500 |
| Type | Forced Concrete Mixer |
| Discharging Capacity | 1.5 cubic meters |
| Mixing Performance | Double horizontal shaft forced mixing |
| Measuring System | High-precision measuring device |
| Material Construction | High-strength steel (mixing cylinder & blades) |
| Environmental Features | Dust collection and sewage treatment system |
| Applications | Large-scale construction, infrastructure, hydraulic engineering, commercial concrete mixing plants |
| Key Selling Points | Large-capacity mixing, high-efficiency performance, precise measuring, sturdy design, environmental protection |



Garlway Machinery

No.55 Zhongxin Road, Shangjie District, Zhengzhou
City, Henan Province, China.

